

# Aminol ATF T-IV Product Data Sheet

Automative transmission fluid

### **Product description**

Aminol T-IV is a versatile automatic transmission fluid specifically designed to surpass the service fill demands of all TOYOTA and LEXUS vehicles equipped with AISIN WARNER gearboxes, which necessitate the use of ATF T-IV fluid. Its exceptional attributes ensure quiet and smooth gear shifts, while also facilitating efficient transmission power, even during challenging driving conditions.

# **Application**

Aminol ATF T-IV is recommended for automatic Toyota and Aisin AW gearboxes that require compliance with the TOYOTA TYPE-IV specifications. It can replace fluids T, T-II, and T-III.

#### **Features & Benefits**

- Enhanced shift performance and improved vehicle driveability
- · Exceptionally low temperature fluidity
- Superior wear protection, better shear stability, and resistance to oxidation
- Reduced deposits and prevention of harmful acid formation
- · Optimized drain intervals

# **Typical Properties**

Property	Unit	Test method	Typical value
Kinematic Viscosity at 100°C	cst	ASTM D 445	7.500
Kinematic Viscosity at 40°C	cst	ASTM D 445	38.00
Viscosity Index	-	ASTM D 2270	170
Flash Point (COC)	°C	ASTM D 92	230
Pour Point `	°C	ASTM D 7346	-51
Density at 15°C	g/cm3	ASTM D 4052	0.830

Typical property characteristics are based on current production. Whilst future production will conform to Aminol specifications, variations in these characteristics may occur.

#### **Performance claims**

- Ford Pre-2005
- GM Dexron IID/IIE/IIIG /IIIH
- Honda ATF Z1
- JASO M3151A/M3151A-LV13
- Mitsubishi SP II/SP III



# Aminol ATF T-IV Product Data Sheet

Automative transmission fluid

- Chrysler ATF +3/+4
- Nissan Matic C/D/J
- GM Dexron TASA
- Toyota T-II/T-III/T-IV
- ZF TE-ML 09/11A/11B

# **Health, Safety & Environment**

#### **Health and Safety**

This product is unlikely to present any significant health or safety hazard when properly used in the recommended application, and good standards of industrial and personal hygiene are maintained. For further guidance on Product Health & Safety, refer to the appropriate Safety Data Sheet, which can be obtained upon request or through our website: www.aminol.az

#### **Protect the Environment**

Take used oil to an authorized collection point. Do not discharge into drains, soil, or water.

# Available pack sizes

- · 1 L Canister plastic
- 4 L Canister plastic
- · 5 L Canister plastic
- 7 L Canister plastic

- 20 L Canister plastic
- · 30 L Canister plastic
- · 200 L Drum sheet metal
- · 1000 L Container

#### **Storage**

- · We recommend to store all packages under cover.
- Where outside storage is unavoidable, drums should be laid horizontally to avoid the possible ingress of water and damage to drum markings.
- Products should not be stored above 60 °C, exposed to hot sun, or freezing conditions.

### **Notes**

This data sheet and the information it contains are believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application, and to comply with all applicable laws and regulations. Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by ALCO LLC for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services, and information supplied are provided under our standard conditions of sale. You should consult our sales specialists if you require any further information.

© 2016-2025 | All rights reserved

The logos and trademarks used herein are properties owned by ALCO LLC.

